



Electronic
Auto Timer



2L Jar

TM-800

Variable
Speed



1.5L Jar

TM-767B

Hi/Low
2 Speed



1.5L Jar

TM-788B

Electronic
Auto Timer



1.5L Jar

TM-800B

TM-800 OMNIBLEND V

- ❖ MULTI FUNCTIONS
- ❖ WET AND DRY APPLICATIONS
- ❖ TWO IN ONE STAINLESS STEEL CUTTING UNIT
- ❖ 3HP HIGH EFFICIENT MOTOR
- ❖ CRUSHING ICE IN SECONDS
- ❖ PREMIUM QUALITY, TRANSPARENT, VIRTUALLY UNBREAKABLE CONTAINER
- ❖ PRECISION TECHNOLOGY

TM-767A/B OMNIBLEND I

- ❖ VARIABLE SPEED CONTROL
- ❖ MULTI FUNCTION
- ❖ WET AND DRY APPLICATION
- ❖ TWO IN ONE STAINLESS STEEL CUTTING BLADE
- ❖ CRUSHING ICE IN SECONDS
- ❖ PREMIUM QUALITY, TRANSPARENT, VIRTUALLY UNBREAKABLE CONTAINER
- ❖ PRECISION TECHNOLOGY

TM-788A/B OMNIBLEND III

- ❖ MULTI FUNCTION
- ❖ WET AND DRY APPLICATION
- ❖ TWO IN ONE STAINLESS STEEL CUTTING BLADE
- ❖ INDUSTRIAL HIGH SPEED MOTOR, 3HP SUPER POWER
- ❖ CRUSHING ICE IN SECONDS
- ❖ PREMIUM QUALITY, TRANSPARENT, VIRTUALLY UNBREAKABLE CONTAINER
- ❖ PRECISION TECHNOLOGY

TM-800A/B OMNIBLEND V

- ❖ STATE OF THE ART ELECTRONICS DESIGN
- ❖ 35, 60 & 90" ONE-TOUCH AUTO TIMER
- ❖ HIGH, MED, LOW & PULSE; FULL FUNCTION
- ❖ WET AND DRY APPLICATION
- ❖ TWO IN ONE STAINLESS STEEL CUTTING BLADE
- ❖ INDUSTRIAL HIGH SPEED MOTOR
- ❖ CRUSHING ICE IN SECONDS
- ❖ PREMIUM QUALITY, TRANSPARENT, VIRTUALLY UNBREAKABLE CONTAINER
- ❖ PRECISION TECHNOLOGY
- ❖ MULTI FUNCTION



TM-800AQ

OMNI-Q IS A 3 HP OMNI BLENDER EQUIPPED WITH AN OMNISHIELD WHICH CAN REDUCING 80% OF BLENDING NOISE. EASY TO CLEAN. ROBUST.

THE FULL SIZE DESIGN IS MADE FROM THE HIGHEST QUALITY NON-BROKEN MATERIAL. THE BEST BLENDER PLUS THE BEST SHIELD.



TM-800AQ2

OMNI-Q2 IS THE BEST BLENDER + THE BEST SHIELD WITH BUILT-IN TYPE, SPECIAL DESIGN FOR COMMERCIAL USE, IT IS A POWERFUL YET COMMERCIALGRADE BLENDER.

PERFECT FOR HOTELS, RESTAURANTS, SPAS, CAFES, AND COFFEE SHOPS. OMNISHIELD'S SOFT-SOUND TECHNOLOGY REDUCES 80% OF NOISE, ALLOWING GUESTS A RELAXING, CUSTOMER-FOCUSED AND FINE- DINING EXPERIENCE.

REDUCING 80% OF BLENDING NOISE
EASY TO CLEAN
ROBUST

PRODUCT DIMENSIONS: (L)30X(W)28X(H)46CM

SELF CLEANING

THE JTC OMNIBLEND IS VERY EASY TO CLEAN. FOR JUICE BARS MAKING DRINKS AND SMOOTHIES, A QUICK RINSE WITH WATER BETWEEN PREPARATIONS IS ALL THAT IS REQUIRED. AFTER BLENDING THICKER INGREDIENTS SUCH AS SOUPS OR DIPS, FILL THE JUG WITH WARM WATER AND A FEW DROPS OF WASHING UP LIQUID, PUT THE APPLIANCE ON HIGH SPEED FOR ABOUT 10 SECONDS. AS FOR THE REST OF THE SURFACES, SIMPLY WIPE WITH A DAMP CLOTH. PLEASE NOTE THAT JTC OMNIBLEND IS NOT SUITABLE FOR USE IN DISHWASHERS AND SHOULDN'T BE CLEANED WITH ABRASIVE CLEANERS OR SCOURERS.

INTELLIGENT OVERLOAD PROTECTION



OUR JTC OMNIBLEND IS EQUIPPED WITH AN INTELLIGENT OVERLOAD SWITCH. THIS FEATURE ENHANCES DURABILITY FOR THE JTC OMNIBLEND AS IT WORKS THROUGH A BUILT IN SENSOR WHICH AUTOMATICALLY TURNS OFF THE MOTOR WHEN IT DETECTS EXCESS USAGE. THIS AIDS TO PROLONG ITS OPERATING LIFE AS WELL AS ALLOWING IT TO PRE-EMPT BREAKDOWNS. IF YOUR BLENDER EVER STOPS WORKING IT MEANS MOST LIKELY IT HAS TRIPPED – IN WHICH CASE SIMPLY SWITCH THE RESET BUTTON ON THE BOTTOM OF YOUR BLENDER BACK ON.

THE NOT-SO-SHARP ENDOTECTION



OF EQUAL IMPORTANCE TO THE MOTOR IS THE QUALITY OF A BLENDER'S BLADES. WHILE MOST BLENDERS HAVE A STANDARD SHARP 4-BLADE ASSEMBLY (SOME ONLY HAVE 2) THE JTC OMNIBLEND HAS A BLUNT SIX-BLADE, PRECISION, STAINLESS-STEEL ASSEMBLY ALLOWING IT TO BLEND EVEN THE TOUGHEST OF INGREDIENTS. THE EXTRA 2 DOWNWARD-ANGLED BLADES ARE DESIGNED TO PREVENT DENSE FOODS FROM GETTING STUCK AND CREATING A VACUUM AT THE BOTTOM OF THE JUG. THE HIGH QUALITY, LASER CUT STAINLESS STEEL BLADES ARE ALSO DESIGNED FOR BOTH WET AND DRY APPLICATIONS WITHOUT THE EXPENSE OR INCONVENIENCE OF SEPARATE JUGS. SO YOU CAN BLEND ICE, GRAINS, FRUITS, VEGETABLES, NUTS AND MORE, ALL WITH ONE JUG. OUR JTC OMNIBLEND BLADES ARE DESIGNED TO MAKE HOT SOUP WITHIN MINUTES HEATING WITH FRICTION, WHILST ALSO BEING ABLE TO CREATE FROZEN DESSERTS WITHIN SECONDS. YOU WILL NEVER NEED TO SHARPEN THE BLADES AS THEY ARE DULL AND FLAT, THIS ALLOWS THE BLADES TO PULVERISE RATHER THAN CUT PRODUCE. THIS IS THE REASON WHY OUR JTC OMNIBLEND BLENDERS CAN CRUSH ICE IN SECONDS WITHOUT CAUSING ANY DAMAGE TO THE BLADES OR MOTOR.

JUG AND TAMPER



JTC OMNIBLEND'S DURABLE JUGS ARE MADE FROM LEAKAGE-FREE, FOOD GRADE BPA FREE EASTMAN TRITAN COPOLYESTER APPROVED BY THE EUROPEAN COMMISSION FOR FOOD SAFETY, THE FDA, AND UNDERWRITERS LABORATORY (UL). THEY HAVE A MELTING POINT OVER 120 DEGREES CELSIUS MAKING THEM SUITABLE FOR THE HOTTEST SOUPS.

BUILT TO WITHSTAND HIGH RPM, OUR JUGS ARE VIRTUALLY UNBREAKABLE AND CHEMICAL RESISTANT. THE TRANSPARENT JUG ALLOWS YOU TO OBSERVE FOOD PROCESSING AND HAS RAISED CALIBRATIONS FOR MEASURING IN OUNCES, CUPS OR LITRES.

WE NOW ENSURE ALL OF OUR JUGS ARE BPA FREE. BISPHENOL A (BPA) IS A CONTROVERSIAL CHEMICAL THAT CAN BE FOUND IN THE LINING OF FOOD CANS, CERTAIN WATER BOTTLES AND MORE. SOME RESEARCHERS HAVE LINKED THE HORMONE-MIMICKING CHEMICAL TO A HOST OF ISSUES INCLUDING BEHAVIOURAL AND DEVELOPMENTAL EFFECTS IN KIDS. JTC OMNIBLEND UK PLAYS IT SAFE, AND HAS MADE A COMMITMENT TO ONLY SUPPLY PRODUCTS THAT ARE BPA-FREE.

THE JTC OMNIBLEND COMES WITH A TAMPER TOOL WHICH ALLOWS YOU TO MANIPULATE INGREDIENTS THAT OTHER BLENDERS SIMPLY HOLLOW OUT – AND TOBLEND THICK, DENSE INGREDIENTS THAT WOULD BRING OTHER BLENDERS TO A

HALT. A HANDY LID PLUG ALLOWS YOU TO RUN THE MACHINE WITH OR WITHOUT THE TAMPER. (THE TAMPER IS DESIGNED TO BE USED SAFELY THROUGH THE LID, ATTEMPTING TO USE THE TAMPER FREEHAND WITHOUT THE LID IS DANGEROUS AND VOIDS THE WARRANTY.)

THE MOTOR



OUR ROBUST BLENDER'S CENTRAL COMPONENT IS ITS 38,000 RPM MOTOR. THE JTC OMNIBLEND BOASTS A HIGHLY EFFICIENT 3 HORSE POWER VARIABLES SPEED MOTOR WHICH ALLOWS IT TO PULVERISE THE TOUGHEST INGREDIENTS AND KEEP GOING YEAR AFTER YEAR.

